## Approved For Release 2001/04/04 : CA-RDP78-04452A009100030014-9

20 March 1962

MEMORANDUM FOR: Director of Logistics

SUBJECT

: Shuttle Service between the New Building and

Adjacent Parking Areas

REFERENCE

: Memo dtd 5 Mar 62 to DD/S fr D/L; subj: same

as above

1. I note in referenced memorandum that you have not explored the possibility of "tractor-trailer trains used at public expositions." You may recall that this is exactly the type of service which General Cabell suggested we consider most seriously at the time the Director approved of the West Parking Lot.

2. Accordingly, I should like to have this matter pursued without

delay.

25X1A

L. K. White
Deputy Director
(Support)



OL 2 1595

|                     | ·                                       | DATE                       |
|---------------------|---|----------------------------|
| TRANSMI             | TTAL SLIP                               | 20 March 1962              |
| TO:                 |   |                            |
| Direc               | ctor of Logis                           | stics                      |
| ROOM NO.            | BUILDING                                |                            |
| 1C-50               | ŀ                                       | HQS                        |
| REMARKS:            |   |                            |
| 1.04                | . 1                                     | 11 21 May.                 |
| 3. D  <br>4. OL   7 | L /                                     | 12 22 Murch                |
| Cacti               | ínu)                                    | pense 36 MARCH<br>21 march |
|                     | to 02/TE                                | 021 march                  |
| FROM:               | eputy Direct                            | tor (Support)              |
| ROOM NO.            | BUILDING                                | EXTENSION                  |
| 7D-26               | HQS                                     | 5 5454                     |
| FORM NO . 241       | REPLACES FORM 36-6<br>WHICH MAY BE USED |                            |